Titan

100% WATERPROOF FOR ALL AREAS OF YOUR HOME

QUIET & COMFORTABLE UNDERFOOT

HIGHLY DURABLE FOR YEARS OF ENJOYMENT

QUALITY HYBRID & VINYL FLOORING WITH REALISTIC DESIGNS

TID174
Silver Grey Ash

Beautiful, comfortable

Titan flooring will help you to create a space that you will love coming home to. Whether you need an extra-resilient floor that can handle your family's demanding routines, or a trendy new statement for your next renovation.

Waterproof

- 100% waterproof flooring panels
- Suitable for bathrooms, laundries & kitchens
- Resists most all household spills

Matching Accessories

- Matching accessories for Titan Hybrid ranges for a beautiful finish

Quiet & comfortable

- Excellent footfall sound reduction
- Simply more comfortable underfoot

Scratch resistant

- Resistant to scratching and marking
- Strong wear layer to protect from everyday wear and tear

Non toxic

Phthalate free

- 100% ortho-phthalate free
- Safe for the whole family to live on

Family friendy

- Built to withstand daily wear and tear

Realistic designs

- A range of exclusive designs, including stunning Australian wood species decors
- Generous plank size with incredible authenticity

& practical

The Titan range includes 2mm and 5mm glue-down vinyl plank and two generously sized hybrid plank flooring ranges. Titan Hybrid is a rigid core flooring product with integrated underlay. It has all the benefits of vinyl while requiring far less subfloor preparation and installation time.

Easy to clean

- Low maintenance due to its protective coating & matt finish
- Wet mop friendly

Impact resistant

- More indentation resistant than many other hard flooring options

Compatible with floor heating

- Can be installed over in-slab floor heating systems with a subfloor temperature up to 27°C degrees (refer to installation instructions)

Pet friendly

- Muddy paws and little accidents... no problem!

Low impact noise *

- Titan Hybrid has achieved a 6 star rating for multi-storey noise, making it ideal for apartment living.

Uniclic® installation system *

- Fastest and easiest installation system
- Can be walked on during and immediately after installation

*Feature applicable tp Titan Hybrid range only

TIR170
Stonewashed Spotted Gum

Titan
HYBRID XXL

Titan Hybrid is a rigid core plank with a highly resilient surface structure. Almost as beautiful as real timber but far more tolerant to water, scratches and indentation. The extra wide and long planks in the XXL range provides a generous reveal that exudes style in any open space.

Driftwood TIRXXL943

River Sand Oak TIRXXL907

Midland Oak TIRXXL906

Pale Slate TIRXXL942

Antricite Oak TIRXXL944

Washed Oak TIRXXL949

Blackbutt Select TIRXXL1002

Tasmanian Oak TIRXXL1045

Spotted Gum TIRXXL1042


Brush Box TIRXXL1044

Titan Hybrid XXL

1800 x 225 x 6mm | with bevel

1 box = 1.62m^2 = 4 planks

20 Year wear warranty
Residential use

UNICLIC PATENTED TECHNOLOGY
33
AC5 - class 33

Titan
HYBRID

Equally magnificent in a smaller, narrower format is Titan Hybrid. This range of carefully chosen designs, rigorously tested for durability, will stay beautiful for years to come.

Blackbutt TIR035

Spotted Gum TIR169

Stonewashed Spotted Gum TIR170

Bleached Blackbutt TIR171

Alpine Grey Ash TIR178

Frosted Ironbark TIR179

Sandblasted Blackbutt TIR180

Spring Valley Oak TIR181

Moonlight Gum TIR182

Warm Urban Oak TIR183

Titan Hybrid

1500 x 180 x 6mm | with bevel

1 box = 1.62m² = 6 planks

20 Year wear warranty
Residential use

UNICLIC PATENTED TECHNOLOGY
33
AC5 - class 33

TIR171
Bleached Blackbutt

Titan
VINYL COMFORT

Titan Vinyl Comfort glue-down planks will bring a sleek and modern look to your home. Featuring a generous 5mm thickness for superb underfoot comfort and quietness and an extra-thick wear layer to withstand the rigours of daily life.

Cottage White TIC037

Patina Oak Light Grey TIC008

Classic Oak Natural TIC002

Classic Oak Light Beige TIC001

Country Oak TIC039

Blackbutt TIC035

Spotted Gum TIC169

Rustic Oak TIC038

Titan Vinyl Comfort

1505 x 185 x 5mm | no bevel

1 box = 2.23m^2 = 8 planks

15 Year wear warranty
Residential use

33
AC5 - class 33

Titan
VINYL GLUE

Titan Vinyl Glue planks are a cost effective option, when you don't want to compromise on the look and durability of your floor. With 16 fashionable designs there's a Titan Vinyl Glue decor to suit every room in your home.

Weathered White Oak TID172

Cottage White TID037

Patina Oak Light Grey TID008

Classic Oak Natural TID002

Classic Oak Light Beige TID001

Country Oak TID039

Bleached Blackbutt TID171

Seasoned Prime Oak TID173

Blackbutt TID035

Stonewashed Spotted Gum TID170

Spotted Gum TID169

Silver Grey Ash TID174

Rivermist Grey Gum TID175

Pale Driftwood TID176

Rustic Oak TID038

Wild Mountain Gum TID177

Titan Vinyl Glue

1505 x 185 x 2mm | no bevel

1 box = 5.012m² = 18 planks

Residential use



AC4 - class 32

TID175
Rivermist Grey Gum

Titan HYBRID XXL

Large format click planks with a rigid core, ideal for mildly uneven subfloors.

Titan HYBRID

Click planks with a rigid core, ideal for mildly uneven subfloors.

	Titan HYBRID XXL	Titan HYBRID
Subfloor	Mildly regular subfloor Minimal floor preparation needed	Mildly regular subfloor Minimal floor preparation needed
Installation	UNICLIC® PATENTED TECHNOLOGY	UNICLIC® PATENTED TECHNOLOGY
Residential warranty	20 years	20 years
Walk noise reduction	●●●○	●●●○
Plank size	1800 x 225mm	1500 x 180mm
Plank thickness	6mm (including 1mm built-in underlay)	6mm (including 1mm built-in underlay)
Wear layer	0.50mm - Class 33	0.50mm - Class 33

Titan VINYL COMFORT

Extra thick, glue down planks for softness and comfort.

Titan VINYL GLUE

Thin glue down planks ideal for a cost effective renovation project.

Level subfloor Floor preparation needed	Level subfloor Floor preparation needed
Glue	Glue
15 years	10 years
●●●●	●●○○
1505 x 185mm	1505 x 185mm
5mm	2mm
0.55mm - Class 33	0.30mm - Class 32

TIRXXL1002
Blackbutt Select

Titan Hybrid offers a complete solution with perfectly matching accessories for a beautiful finish of your floor.

Scotia
TIVSCOT(-)
2400 x 15 x 15mm
Discreet 15mm matching and waterproof scotia

Stair Nose
TIVSTP(-)
2400 x 110 x 36mm
Matching 'custom look' stair nose to finish stairs beautifully

Expansion Cover
TIVEXC(-)
2400 x 45mm
Matching low profile and waterproof expansion cover

End profile
RVE3.4CH
6mm end profile in champagne finish enabling transitions to floor coverings such as carpet,windows frames and walls

Product Specification	Standard	Titan HYBRID XXL	Titan HYBRID	Titan VINYL COMFORT	Titan VINYL GLUE
Vinyl Category		SPC plank	SPC plank	Glue down LVT	Glue down LVT
Dimensions		1800 x 225mm	1500 x 180mm	1505 x 185mm	1505 x 185mm
Total Thickness	EN ISO 24346	6mm	6mm	5mm	2mm
Wear Layer Thickness	EN ISO 24340	0.50mm	0.50mm	0.55mm	0.30mm
Usage Class	EN ISO 10874	Class 33 - AC5	Class 33 - AC5	Class 33 - AC5	Class 32 - AC4
Pack Size		1.62m² (4 planks)	1.62m² (6 planks)	2.23m² (8 planks)	5.01m2 (18 planks)
Pack Weight		16kg	16.5kg	19.4kg	16.5kg
Pallet Size		90.72m² (52 packs)	84.24m² (52 packs)	144.75m² (65 packs)	325.78m² (65 packs)
Pallet Weight		930kg	890kg	1222kg	1073kg
Density	EN 436	2000kg/m3	2000kg/m3	N/A	N/A
Surface Treatment		UV (anti-bacterial)	UV (anti-bacterial)	PU (anti-bacterial)	PU (anti-bacterial)

Physical Property	Test Method				
Dimensional Stability	EN ISO 23999	≤0.25%	≤0.25%	≤0.15%	≤0.25%
Curling after Exposure to Heat	EN ISO 23999	≤1mm	≤1mm	≤1mm	≤2mm
Squareness & Straightness	EN 16511	≤400mm: ≤0.25mm ≥400mm: ≥0.35mm	≤400mm: ≤0.25mm ≥400mm: ≥0.35mm	≤400mm: ≤0.25mm ≥400mm: ≥0.35mm	≤400mm: ≤0.25mm ≥400mm: ≥0.35mm
Residual Indentation	EN ISO 24343-1	≤0.1mm	≤0.1mm	≤0.1mm	≤0.1mm
Light Fastness	EN ISO 105-B02	≥6	≥6	≥6	≥6
Impact Sound Reduction	EN ISO 140-7	6 star Certificate available	6 star Certificate available	4 star	3 star
Slip Resistance	AS/NZS4586 2004	P3	P3	P2	P2
Abrasion Group	EN660-2 / EN16511	Group T / AC5 (0.50)	Group T / AC5 (0.50)	Group T / AC5 (0.55)	Group T / AC4 (0.30)
Fire Resistance	AS/ISO 9239.1-2003	10.7 kW/m² Smoke 81%	10.7 kW/m² Smoke 81%	8.7 kW/m² Smoke 168%	6.4 kW/m² Smoke 118%
Electric Behaviour	EN 1815	≤2KV	≤2KV	≤2KV	≤2KV
Indoor Air Quality		Low VOC	Low VOC	Low VOC	Low VOC
Plasticizer		Ortho-phthalate free	Ortho-phthalate free	Ortho-phthalate free	Ortho-phthalate free
Residential Warranty	Domestic use	20 year wear warranty	20 year wear warranty	15 year wear warranty	10 year wear warranty

Front cover: TIRXXL1045 Tasmanian Oak. Back cover: TIR179 - Frosted Ironbark. Product images may differ from actual product. The availability of products, or the products themselves may change at any time without notice. Content © 2019-2020 by Premium Floors Australia Ltd., Australia and Floorscape Ltd., New Zealand. All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.